





# For large numbers of people

At swimming pools, sports stadiums or public toilets - MPP turnstiles are the ideal choice wherever large numbers of people must be reliably individualised and managed. The robust housings and stainless steel barrier arms not only withstand improper use, but are also suitable for outdoor applications (option). MPP turnstiles offer versatile operation: a large number of people can easily be managed with one of the many applications available while bi-directional operation permits a single turnstile to act as both entrance and exit. And MPP turnstiles are ideally equipped for emergencies: The barrier allows free passage if there

is a power outage or an alarm signal. With the Drop-Arm option, the upper arm drops downwards and thus provides free passage. The arm automatically returns to its original position after the emergency contact reopens or power has been restored. The innovative MHTM™ drive technology operates without maintenance, energy-efficiently and quietly, and its sensitive impact detection ensures maximum personal safety. MPP turnstiles can be controlled using all common access control systems and are available with three housing variants.



#### Rapid individualisation

Thanks to its turnstile design, the MPP is suitable for the rapid individualisation of large numbers of people in areas with low-to-medium security requirements.



# Innovative drive technology

The MHTM™ drive unit operates without maintenance, energy-efficiently and quietly. Sensitive impact detection ensures maximum personal safety.



# Free escape routes

The barrier allows free passage if there is a power outage or an alarm signal. With the Drop-Arm option, the upper arm drops downwards and thus provides free passage. The arm automatically returns to its original position after the emergency contact reopens or power has been restored.



Easily accessible components

All the control and drive components necessary for operation are accommodated in the upper housing of the MPP - considerably simplifying commissioning and maintenance.



- > Robust turnstiles for high throughput frequencies
- > Optional drop-arm mechanism permits passage in case of power cut or alarm
- > High-quality stainless steel housing for indoor or outdoor use
- > Simple integration of all common access control systems
- > Designed for 10 million throughput cycles




Technical data	MPP 122	MPP 222	MPP 112	MPP 212	MPP 132	MPP 232	
Application	Indoor	Outdoor	Indoor	Outdoor	Indoor	Outdoor	
Housing variant	Long	Long		Short		Tall	
Passage width	515 mm		515 mm		515 mm		
Drive technology	MHTM™		MHTM™		MHTM™		
Voltage	110 - 240 VAC, 50/60 Hz		110 - 240 VAC, 50/60 Hz		110 – 240 VAC, 50/60 Hz		
Power consumption	Max. 65 W	Max. 65 W		Max. 65 W		Max. 65 W	
Duty cycle	100 %	100 %		100 %		100 %	
Housing dimensions (L x W x H)	1300 x 260 x 1035	1300 x 260 x 1035 mm		400 x 300 x 1035 mm		400 x 300 x 1443 mm	
Enclosure rating	IP32	IP44	IP32	IP44	IP32	IP44	
Weight	Approx. 60 kg	Approx. 60 kg		Approx. 40 kg		Approx. 45 kg	
Temperature range	−25 to +50 °C		−25 to +50 °C		−25 to +50 °C		


Options	
Barrier elements	Barrier arm with drop-arm technology
Components	Heating, throughput display, coin validator, cash register system
Housings	Adaptations to customer-specific access control systems
Extensions	Railings, railings with glass pane, railings with knee rail


Potential applications	
	Ŷô

# Dimensional drawings


# MPP 122/222










MPP 112/212






MPP 132/232





200





# Access to Progress

Magnetic stands for pioneering products – in every way. Our access control systems for vehicles or pedestrians clear the way for thousands of people every day – at car parks, toll gates, stations, airports and in buildings. Our technology is also pioneering, however: with innovative drives, intelligent control systems and well thought-out details it provides maximum safety and longevity. Are you also on the path to Magnetic?



## Vehicle barriers

Access barriers Parking barriers Toll barriers Special barriers



# Pedestrian gates

Turnstiles Swing gates Tripod gates Retractable gates Wing gates



## **Terminals**

Cars Trucks

#### Germany

Grienmatt 20

## MAGNETIC AUTOCONTROL GMBH

79650 Schopfheim Phone +49 7622 695-5 Fax +49 7622 695-800 E-mail info@magnetic-germany.com

#### Australia

## MAGNETIC AUTOMATION PTY LTD

38 Metrolink Circuit Campbellfield, VIC 3061 Phone +61 3 9339 2900 E-mail info@magnetic-oz.com

#### Brazil

# MAGNETIC AUTOCONTROL LTDA

Av. Salim Antônio Curiati, 136 04690-050 – São Paulo Phone +55 11 5660 8500 E-mail info@magnetic-br.com

#### China

#### MAGNETIC CONTROL SYSTEMS CO., LTD

No. 3 Building, No. 51
Lane 1159, Kang Qiao (East) Road
Kang Qiao Industrial Zone, Shanghai
Phone +86 21 68182970
E-mail info@magnetic-cn.com

## France

## **FAAC FRANCE**

377 Rue Ferdinand Perrier 69808 St Priest Cedex Phone +33 4 72 21 86 89 E-mail info@magnetic-fr.com

#### India

#### MAGNETIC AUTOCONTROL PVT LTD.

PRS Centre
Plot No. 373 to 376, 2nd Floor (West Wing)
1st Cross Street, Nehru Nagar
Old Mahabalipuram Road
Kottivakkam (Opp Rayala Technopark, Perungudi)
Chennai 600041
Phone +91 44 421 23297
E-mail info@magnetic-india.com

# Middle East

## FAAC MIDDLE EAST FZE

Dubai Silicon Oasis PO Box 54886 Dubai United Arab Emirates Phone +971 4 3724193 E-mail info@magnetic-uae.com

## N. and S. America (excl. Brazil)

## FAAC INTERNATIONAL, INC

3160 Murell Road Rockledge, FL 32955 USA Phone +1 321 635 8585 E-mail info@magnetic-usa.com

#### Scandinavia

#### FAAC NORDIC AB Box 125

284 22 Perstorp Sweden Phone +46 435 77 95 03 E-mail info@magnetic-nordic.com

#### Southeast Asia

# MAGNETIC CONTROL SYSTEMS SDN. BHD

No. 17, Jalan Anggerik Mokara 31/54 Taman Perindustrian Kota Kemuning 40460 Shah Alam Selangor Darul Ehsan Malaysia Phone +60 3 5123 0033 E-mail info@magnetic-malaysia.com

